


InfoVue™ 105°C LCD Display High / Low Temp LCD Modules



Go “Extreme” with Lumex’s InfoVue™ 105°C LCD Display LCD Design Technology

High/Low Temp LCD modules are designed specifically for products required to function under the most strenuous conditions. Lumex’s unique LCD design capability for High/Low Temp modules provides up to a 50% saving in technology costs and 70-80% power reduction over other traditional display technologies. Lumex’s High Temp LCD Modules are ideal for OEM designers that require consistent display performance despite extreme heat.

Features	Benefits
Offering temperature ranges from -40° to + 105°C	Has consistent cold and hot start LCD performance
Provides high-resolution	Has high-duty daylight visibility
Available in an 8x1 character display	Up to 320x240 graphic display
Wide variety of color choices	Can be paired with LED backlights
Available in 2 types of image displays	Comes in a positive or negative image display




InfoVue™ 105° C LCD Display

High / Low Temp LCD Modules


In addition to the Lumex's family of standard high/low temp LCD modules, additional modules can be developed utilizing Lumex's High Temp technology based on customer requirements. High Temp LCDs can be developed in any size ranging from 8 x 1 character displays up to a 320 x 240 graphic display.




LCD-A2X1C50TR



LCD-A3X1C50TR/A




LCD-A401C39TR




InfoVue™ 105°C LCD Display

High / Low Temp LCD Modules


LCD-A401C39TF



LCD-A401C52TR



LCD-A401C71TR



InfoVue™ 105°C LCD Display

High / Low Temp LCD Modules

The InfoVue™ 105°C LCD Display High / Low Temp LCD Modules serve in a wide variety of markets and applications.

Markets	Applications
White Goods	Refrigerators, washers, dryers, ovens
Medical	Portable medical, diagnostics
Transportation	In-dash displays for consumer automotive, ATVs, Marine, etc.



www.lumex.com

Email: lmxsales@lumex.com

Phone: 800-278-5666